

Amendment to the Claims:

This listing of the claims will replace all prior versions, and listings, of claims in the application.

Listing of the Claims:

- B¹
1. (currently amended) A method implemented in a client computer for remotely debugging an application program over the Internet, comprising:
 - (a) detecting a debug request initiated by a user of a client computer to debug an application program on said client computer;
 - (b) transmitting said debug request to a server computer over the Internet;
 - (c) establishing a connection between said client computer and said server computer over the Internet;
 - (d) receiving a request from a debug program of said server computer;
 - (e) causing an application program of said client computer to generate a response to said request; and
 - (f) transmitting an indication of said response back to said debug program; and
 - (g) repeating (d), (e) and (f) multiple times so as to run said application program through a diagnostic sequence.
 2. (original) The method according to claim 1, wherein said diagnostic sequence is provided to said debug program by a user of said server computer.

3. (original) The method according to claim 1, wherein said diagnostic sequence is preprogrammed into said debug program.

Claim 4 (canceled)

B
5. (previously presented) The method according to claim 1, further comprising transmitting identifications of said application program and said client computer to said server computer, after (a).

6. (previously presented) The method according to claim 1, further comprising transmitting a user identification and a password provided by a user of said client computer to said server computer, after (a).

7. (currently amended) The method according to claim 3, wherein the running of said preprogrammed diagnostic sequence is paused by a user of said server computer and control of said debug program is transferred to said user of said server computer, and further comprising:

(h)[(f)] receiving a request initiated by said user of said server computer;

(i)[(g)] causing said application program to respond to said request;

(j)[(h)] generating a graphics file including pixel information for a graphics image displayed on a display screen of said client computer; and

(k)[(i)] automatically transmitting said graphics file to said server computer so that said graphics

image is displayed on a display screen of said server computer.

8. (currently amended) The method according to claim 7, further comprising repeating (h)[(f)] through (k)[(i)] multiple times so as to allow said user of said server computer to remotely debug said application program.

9. (currently amended) An apparatus for remotely debugging an application program over the Internet, comprising a client computer including an interface program for:

(a) detecting a debug request initiated by a user of a client computer to debug an application program on said client computer;

(b) transmitting said debug request to a server computer over the Internet;

(c) establishing a connection between a client computer and said server computer over the Internet;

(d) receiving a request from a debug program of said server computer;

(e) causing an application program of said client computer to generate a response to said request; and

(f) transmitting an indication of said response back to said debug program; and

(g) repeating (d), (e) and (f) multiple times so as to run said application program through a diagnostic sequence.

10. (original) The apparatus according to claim 9, wherein said diagnostic sequence is provided to said debug program by a user of said server computer.

11. (original) The apparatus according to claim 9, wherein said diagnostic sequence is preprogrammed into said debug program.

12. (currently amended) The apparatus according to claim 11, wherein the running of said preprogrammed diagnostic sequence is paused by a user of said server computer and control of said debug program is transferred to said user of said server computer, and said interface program is further for, after (g)[(e)]:

(h)[(f)] receiving a request initiated by said user of said server computer;

(i)[(g)] causing said application program to respond to said request;

(j)[(h)] generating a graphics file including pixel information for a graphics image displayed on a display screen of said client computer; and

(k)[(i)] automatically transmitting said graphics file to said server computer so that said graphics image is displayed on a display screen of said server computer.

13. (currently amended) The apparatus according to claim 12, wherein said program is further for repeating (h)[(f)] through (k)[(i)] multiple times so as to allow said user of said server computer to remotely debug said application program.

Claims 14-19 (canceled).

20. (currently amended) An apparatus for remotely debugging an application program over the Internet, comprising a client computer including an interface program for:

(a) detecting a debug request initiated by a user of a client computer;

(b) [(a)] establishing a connection between a client computer and a server computer over the Internet;

(c) [(b)] receiving a request from a debug program of said server computer;

(d) [(c)] causing an application program of said client computer to respond to said request;

(e) [(d)] generating a graphics file including pixel information for a graphics image displayed on a display screen of said client computer; and

(f) [(e)] automatically transmitting said graphics file to said server computer so that said graphics image is displayed on a display screen of said server computer.

Claim 21 (canceled).

22. (original) A method implemented in a server computer for remotely debugging an application program over the Internet, comprising:

(a) receiving a request from a client computer over the Internet to debug an application program of said client computer;

(b) transmitting back to said client computer a request for said application program to take an action;

(c) receiving an indication of a response of said application program action back from said client computer; and

(d) repeating (b) and (c) multiple times so as to run said application program through a diagnostic sequence.

23. (original) The method according to claim 22, wherein said diagnostic sequence is provided to a debug program of a server computer by a user of said server computer.

24. (original) The method according to claim 22, wherein said diagnostic sequence is preprogrammed into a debug program of a server computer.

25. (original) The method according to claim 22, further comprising, prior to (b):

(a1) receiving an identification of said application program from said client computer; and

(a2) checking said application program identification against an application program identification list to confirm that a contractual obligation exists to debug said application program.

26. (original) The method according to claim 22, further comprising, prior to (b):

(a3) receiving an identification of said client computer from said client computer; and

(a4) confirming that said client computer is authorized to run said application program by comparing

said client computer identification against an authorized client computer identification.

27. (original) The method according to claim 24, wherein the running of said preprogrammed diagnostic sequence is paused by a user of said server computer and control of said debug program is transferred to said user of said server computer, and further comprising:

(e) transmitting to said client computer a request for said application program to take an action;

(f) receiving a graphics file including pixel information for a graphics image displayed on a display screen of said client computer in response to said action;

(g) displaying said graphics image on a display screen of said server computer; and

(h) repeating (e) through (g) multiple times so as to allow said user of said server computer to interactively debug said application program by transmitting requests for said application program to take certain actions in consideration of graphics images defined in graphics files received from said client computer in response to prior such requests.

28. (original) An apparatus for remotely debugging an application program over the Internet, comprising a server computer including a debug program for:

(a) receiving a request from a client computer over the Internet to debug an application program of said client computer;

(b) transmitting back to said client computer a request for said application program to take an action;

(c) receiving an indication of a response of said application program action back from said client computer; and

(d) repeating (b) and (c) multiple times so as to run said application program through a diagnostic sequence.

29. (original) The apparatus according to claim 28, wherein said diagnostic sequence is provided to a debug program of a server computer by a user of said server computer.

30. (original) The apparatus according to claim 28, wherein said diagnostic sequence is preprogrammed into a debug program of a server computer.

31. (original) The apparatus according to claim 30, wherein the running of said preprogrammed diagnostic sequence is paused by a user of said server computer and control of said debug program is transferred to said user of said server computer, and further comprising:

(e) transmitting to said client computer a request for said application program to take an action;

(f) receiving a graphics file including pixel information for a graphics image displayed on a display screen of said client computer in response to said action;

(g) displaying said graphics image on a display screen of said server computer; and

(h) repeating (e) through (g) multiple times so as to allow said user of said server computer to interactively debug said application program by transmitting requests for said application program to take

B certain actions in consideration of graphics images defined
in graphics files received from said client computer in
response to prior such requests.

Claims 32-37 (canceled)
